


FIG. 1

DESIGNED	O.G. FIG.	
BY	CLASS	SUBC
DRAFTSMAN		

2/12

WD20
No. 8-2




072545 15.0kV X400 75.0µm

10062467 00000000

FIG. 2

VED	O.G. FIG.	
BY	CLASS	SUBC.
DRAFTSMAN		

3/12




100524187 100524187

FIG. 3

DESIGNED	O.G. FIG.	
BY	CLASS	SUBC.
DRAFTSMAN		

4/12



10062487 10062487

FIG. 4

APPROVED	O.G. FIG.	
BY	CLASS	SUBC.
DRAFTSMAN		

5/12

U.S. PATENT OFFICE





FIG. 5

APPROVED	O.G. FIG.	
BY	CLASS	SUBC.
DRAFTSMAN		

6/12




10063497 23425001

FIG. 6

APPROVED	O.G. FIG.	
BY	CLASS	SUBC
DRAFTSMAN		

7/12

NDP0
No. 1-1



072547 15.0kV X400 75.0μm

006447 28429001

FIG. 7

DESIGNED	O.G. FIG.	
BY	CLASS	SUBC
DRAFTSMAN		

8/12




FIG. 8

10062487 020502

APPROVED	O.G. FIG.	
BY	CLASS	SUBC
DRAFTSMAN		

10/12




100 μm

FIG. 10

APPROVED	O.G. FIG.	
BY	CLASS	SUBC
DRAFTSMAN		

12/12



100 μ m

FIG. 12

100447 235320 48423001